ES CREATOR
SOYBEAN VERY LATE GROUP (middle of II)
THE N°1 VARIETY IN FOOD IN GROUP II

FOOD USE · EARLY VIGOR · TOLERANCE TO LODGING

BENEFITS

FOOD CRITERIA
- High protein content & extractibility (similar to ISIDOR)
- Big grain

EARLY VIGOR

LODGING TOLERANCE

IDENTITY CARD

- **Registered in:** FR/RS
- **Official standard in:** FR
- **Breeder code:** ESG164
- **Type of Growth:** Indeterminated
- **Hair color:** tawny
- **Flower color:** violet
- **Leave shape:** pointed ovate
- **Pod color:** medium brown
- **Hilum color:** dark brown

CULTURE TIPS

- **Planting density should integrate all possible losses:**

Water conditions	Emerged plants /ha	Planting density /ha
No irrigation / Dry	400 000	440-500 000
Irrigated / Rainy	300 000	330-375 000

- **Distance between rows:** 25 to 60 cm
- **Planting depth:** 2 to 4 cm
- **Plant in warm soils (>10°C) with warm temperatures during the days after planting**

QUALITY

Protein content: 42% of Dry Matter
very low | low | medium | high | very high → high

Oil content: 20,1% of Dry Matter
very low | low | medium | high | very high → medium

TKW (Thousand Kernel Weight): 201 g
very low | low | medium | high | very high → high

AGRONOMIC CHARACTERISTICS

Early vigor: 7,3
very low | low | medium | high | very high → high

1st pod height: 17,3 cm
very low | low | medium | high | very high → very high

Plant height: 99 cm
very low | low | medium | high | very high → medium

Lodging tolerance: 1,8
very low | low | medium | high | very high → high

Pod shattering tolerance
very low | low | medium | high | very high → high

DISEASES TOLERANCES

Sclerotinia
very low | low | medium | high | very high → low

HERBICIDES TOLERANCES

Pendimethaline
very low | low | medium | high | very high → high

Metobromuron
very low | low | medium | high | very high → high

Metribuzine
very low | low | medium | high | very high → high

www.lidea-seeds.com

Lidea — FRESH IDEAS FOR AGRICULTURE