ES TENOR

SOYBEAN EARLY GROUP (beginning of 00)
"EARLINESS, LODGING & DISEASES TOLERANCE"







BENEFITS

EARLINESS

LODGING TOLERANCE

DISEASES TOLERANCE

DENTITY CARD


CULTURE TIPS

- Registered in: FR/AT/SK/UA
- **Official standard in:** SK
- **D** Breeder code: ESG134
- **7** Type of Growth: indeterminated
- **W** Hair color: tawny
- **Flower color:** violet
- **D** Leave shape: pointed ovate
- **Pod color:** medium brown
- **W** Hilum color: dark brown

Planting density should integrate all possible losses:

Water conditions	Emerged plants /ha	Planting density /ha
No irrigation / Dry	550 000	610-690 000
Irrigated / Rainy	500 000	550-625 000

- Distance between rows: 18 to 50 cm
- Planting depth: 2 to 4 cm
- Plant in warm soils (>10°C) with warm temperatures during the days after planting



QUALITY Protein content: 41,1% of Dry Matter very low medium high very high Oil content: 20,7% of Dry Matter very low medium high very high TKW (Thousand Kernel Weight): 192 g very low medium high very high



AGRONOMIC CHARACTERISTICS

Early vigor: (5,3				
very low	low	medium	high	very high	
1st pod height: 10,4 cm					
very low	low	medium	high	very high	
Plant height: 77 cm					
very low	low	medium	high	very high	
Lodging tolerance: 1,3					
very low	low	medium	high	very high	
Pod shattering tolerance					
very low	low	medium	high	very high	

F

DISEASES TOLERANCES

Sclerotinia			_	
very low	low	medium	high	very high
Bacteriosis		_		
very low	low	medium	high	very high
Virus		_		
very low	low	medium	high	very high



HERBICIDES TOLERANCES

Pendimethaline						
			•			
very low	low	medium	high	very high		
Metobromuron						
		•				
very low	low	medium	high	very high		
Metribuzine			_			
			<u> </u>			
very low	low	medium	high	very high		



