CS MIXTE LTT LONG TERM GRASS MIXTURE



BENEFITS

MIXED USE

- Complex mix of different species for good mowing and grazing behaviour.
- Mowing: High fibre content of the fescue and the timothy for an aerated windrow
 + protein quality of the red clover.
- Grazing: paltability of tetraploid perennial raygrass coupled with flexible fescue for less rejection + energy/protein balance thanks to white clover.

SUITABLE FOR ALL KIND OF SOIL

• CS MIXTE LTT is ideal on heterogeneous field.

🔊 Grass + Clover

DURATION

KIND OF MIX

More than 4 years

CULTURE TIPS

- Grazing begins before the 17 cm stage, it stops before the cover is reduced to 5 cm. For rapid regrowth, do not consume more than 50% of the height of the canopy.
- Mow at least 7 cm above the ground, Alternating grazing-mowing-grazing helps to better manage the early growth of the grass and the plants causing the refusals.



USES

USES			POSITIONING				
Cutting	Mixed	Pasture	healthy and deep	Alternating wet/dry	Hydromorphic	Dry acid soil	Dry limestone soil
++	+++	++	+++	+++	+++	+++	+++
Not adapted + Low adapted ++ Adapted +++ Very adapted Source: Li							Source: Lideo

SPECIES	VARIETIES			
% in weight	% in number of plants	CHARACTERISTICS		
	FESCUE YDIE	Suitable on all soil conditions. Increase		
24 %	15 %	the yield potential for mowing purpose.		
	RAYGRASS 4N LDAS	Intermediate flowering. Increase the pal- atability of the forage and the productivi- ty on wet soil.		
20 %	10 %			
TIN	1OTHY	Make the difference in climate with hard winter. Good palatability and outstanding yield during the end of spring.		
6 %	22 %			
ALSIKE	CLOVER	Make relay with the other clover. His intermediate time of life make it perform- ing during the 3 first years.		
15 %	14 %			
	CLOVER ANCHE	Bring productivity from the first year and second year. suitable in all kind of location.		
28 %	22 %			
	E CLOVER OLFIN	One of the most aggressive variety, that ensure protein content of the pasture a		
7 %	17 %	least 5 years.		



www.lidea-seeds.com

The information provided in this document is for informational purposes only, and may vary according to agricultural and climate conditions, as well as cultivation techniques. Disease resistance information applies to diseases or strains currently known in France. March 2021. Source: R&D Lidea.