ZAKARI CS WINTER RAPE LINE LISTED: CZ, UK



BENEFITS



NO STEM ELONGATION TO IMPROVE WINTERHARDINESS

A GOOD SPRING VIGOR TO GUARANTEE THE PLANT DEVELOPMENT AFTER WINTER

DENTITY CARD

YIELD COMPONENTS

TKW: high

VIGOUR

Automnal vigour: good

Vigour after winter: medium

AGRONOMIC CHARACTERISTICS*

	VS	S	FS	FT	Т	
Stem Elongation						
Lodging						
Pod shaterring tolerance						
Frost resistance						

Emergence target around 35-45 plants/ m2 (not too high to avoid elongation and have strong roots)

Density to adapt to your soil:

- Deep soil: 35 Kernels/m2
- Medium soil: 40 Kernels/m2
- Superficial soil: 45 Kernels/m2



R. B



Restart After Winter

very early	early	mid-early	mid-late	late		
Flowerin	Ig					
		•				
very early	early	mid-early	mid-late	late		
Maturity						
		•				
very early	early	mid-early	mid-late	late		

ER f



Oil content 18 references Source: Lidea.



Proteins content 18 references Source: Lidea.





Phoma tolerance*

VS	S	FS	FT	Т			
Cylindrosporiose*							
VS	S	FS	FT	Т			
End of cycle diseases*							
VS	S	FS	FT	Т			
Broomrape behavior*							
	•						
Bad	Medium	Good					

VS: Very Sensitive - S Sensitive - FS: Few Sensitive - FT: Few Tolerant - T: Tolerant * Lidea database.



www.lidea-seeds.com

The information provided in this document is for informational purposes only, and may vary according to agricultural and climate conditions, as well as cultivation techniques. Disease resistance information applies to diseases or strains currently known in France. March 2021. Source: R&D Lidea.

CULTURE TIPS